HORIZON

SUSPENDED GEOMETRIC SHAPES



TUTTIN

(111222220000)

THILL

1300 498 268ENQUIRIES@ACOUSTICAPROJECTS.COM.AUGROUND FLOOR, 6A NELSON STREET, ANNANDALE NSW 2038



KEY BENEFITS

- Suitable for ceilings and walls
- Cleanable and easy to demount
- Highly durable

STANDARD FIRE RATING

AS5637.1, AS ISO9705-2003. Group 1, (SMOGRArc): <100m2/s2.

STANDARDS

- Global GreenTag Green Rate Level A certified.
- CDHP Standard certified.

APPLICATIONS

- Offices
- Classrooms

Auditoriums

- Retail
- Cafés and restaurants
- Conference rooms

DESCRIPTION

Horizon[™] is a decorative way to help minimise echo or reverb problems. Each faceted panel can be customised to suit your room or space, with an extensive selection of shapes and colours.



FEATURES

- Can be fitted directly to walls or be suspended from ceilings, all without the use of adhesives
- Can be a subtle design feature
- Low VOC beneficial for IEQ (Indoor Environmental Quality)
- Made from 100% polyester
- Has a high recyclable content and can be recycled at the end of its long cycle
- Comes in 6 shapes
- Thickness: 24mm





SPECIFICATIONS

<u>Rectangle:</u>

- Dimensions: 1200mm x 2400mm
- Weight: 3600 gsm
- Material: 100% Polyester fibre

Pack contents:

- Shapes/pack:1
- Suspension sets/pack: 2
- Channel lengths/pack: 2x 2200mm & 2x 800mm

<u>Square:</u>

- Dimensions: 1200mm x 1200mm
- Weight: 3600 gsm
- Material: 100% Polyester fibre

Pack contents:

- Shapes/pack: 2
- Suspension sets/pack: 4
- Channel lengths/pack: 8x800mm

<u>Triangle:</u>


- Dimensions: 1159mm x 1159mm
- Weight: 3600 gsm
- Material: 100% Polyester fibre

Pack contents:

- Shapes/pack: 4
- Suspension sets/pack: 6
- Channel lengths/pack: 12x800mm

)
rectangle	

square



triangle



FEATURES

<u>Oval:</u>

- Dimensions: 1200mm across the widest point
- Weight: 3600 gsm
- Material: 100% Polyester fibre

Pack contents:

- Shapes/pack: 2
- Suspension sets/pack: 3
- Channel lengths/pack: 6x400m

<u>Hexagon:</u>

- Dimensions: 1.1m across the widest point
- Weight: 3600 gsm
- Material: 100% Polyester fibre

Pack contents:


- Shapes/pack: 2
- Suspension sets/pack: 3
- Channel lengths/pack: 6x400m


<u>Circle:</u>

- Dimensions: 1200mm diameter
- Weight: 3600 gsm
- Material: 100% Polyester fibre


Pack contents:

- Shapes/pack: 2
- Suspension sets/pack: 3
- Channel lengths/pack: 6x400mm





hexagon



circle





SCORE AND TEST RESULTS

All results are shown in metric sabin/unit. Equivalent sound absorption area is as according to ISO 354.

RECTANGLE

Frequency (Hz)	125	250	500	1000	2000	4000	Per unit
Horizon™ Rectangle (Fixed on clips)	0.3	1.0	2.4	3.3	3.3	3.2	2.5
Horizon™ Rectangle (24mm suspended 200mm)	0.8	2.1	2.9	3.3	3.8	3.9	3.0
Horizon™ Rectangle (24mm suspended 400mm)	1.4	2.0	2.7	3.7	4.3	4.4	3.1
Horizon™ Rectangle (24mm suspended 800mm)	1.1	1.7	2.8	4.1	4.8	4.8	3.4









SQUARE

Frequency (Hz)	125	250	500	1000	2000	4000	Per unit
Horizon™ Square (Fixed on clips)	0.2	1.5	1.3	1.7	1.7	1.6	1.3
Horizon™ Square (24mm suspended 200mm)	0.2	1	1.5	1.7	2.1	2.1	1.6
Horizon™ Square (24mm suspended 400mm)	0.5	1	1.3	1.8	2.2	2.3	1.6
Horizon™ Square (24mm suspended 800mm)	0.7	0.8	1.4	2.1	2.5	2.4	1.7









TRIANGLE

Frequency (Hz)	125	250	500	1000	2000	4000	Per unit
Horizon™ Triangle (Fixed on clips)	0.1	0.2	0.6	1.0	1.0	0.9	0.7
Horizon™ Triangle (24mm suspended 200mm)	0.1	0.5	0.7	0.8	1	1.1	0.8
Horizon™ Triangle (24mm suspended 400mm)	0.1	0.5	0.6	0.9	1.1	1.2	0.8
Horizon™ Triangle (24mm suspended 800mm)	0.2	0.3	0.7	1.0	1.2	1.2	0.8




- Horizon™ Triangle (direct fixed on clips) – test no. TI805-3
- Horizon™ Triangle (suspended 200mm) – test no. TI805-19
- Horizon™ Triangle (suspended 400mm) – test no. TI805-20
- Horizon™ Triangle (suspended 800mm) – test no. TI805-10






OVAL


Frequency (Hz)	125	250	500	1000	2000	4000	Per unit
Horizon™ Oval (Fixed on clips)	0.3	1.0	24	3.3	3.3	3.2	2.5
Horizon™ Oval (24mm suspended 200mm)	0.8	2.1	2.9	3.3	3.8	3.9	3.0
Horizon™ Oval (24mm suspended 400mm)	1.4	2.0	2.7	3.7	4.3	4.4	3.1
Horizon™ Oval (24mm suspended 800mm)	1.1	1.7	2.8	4.1	4.8	4.8	3.4



- Horizon[™] Oval (direct fixed on clips) – test no. TI805-1
- Horizon™ Oval (suspended 200mm) – test no. TI805-22
- Horizon™ Oval (suspended 400mm) – test no. TI805-21
- Horizon™ Oval (suspended 800mm) – test no. TI805-11

CONSTRUCTION






isometric view




HEXAGON

Frequency (Hz)	125	250	500	1000	2000	4000	Per unit
Horizon™ Hexagon (Fixed on clips)	0.1	0.4	0.8	1.0	1.1	1.0	0.8
Horizon™ Hexagon (24mm suspended 200mm)	0.1	0.5	0.7	0.9	1.1	1.2	0.8
Horizon™ Hexagon (24mm suspended 400mm)	0.2	0.4	0.7	1.0	1.3	1.3	0.9
Horizon™ Hexagon (24mm suspended 800mm)	0.2	0.4	0.7	1.1	1.4	1.4	0.9




- Horizon™ Hexagon (direct fixed on clips) – test no. TI805-4
- Horizon™ Hexagon (suspended 200mm) – test no. TI805-18
- Horizon™ Hexagon (suspended 400mm) – test no. TI805-17
- Horizon™ Hexagon (suspended 800mm) – test no. TI805-8






CIRCLE


Frequency (Hz)	125	250	500	1000	2000	4000	Per unit
Horizon™ Circle (Fixed on clips)	0.1	0.4	1.0	1.3	1.4	1.3	1.0
Horizon™ Circle (24mm suspended 200mm)	0.2	0.8	1.2	1.3	1.6	1.6	1.2
Horizon™ Circle (24mm suspended 400mm)	0.4	0.8	1.1	1.5	1.8	1.8	1.3
Horizon™ Circle (24mm suspended 800mm)	0.4	0.6	1.1	1.6	1.9	1.9	1.3



- Horizon™ Circle (direct fixed on clips) – test no. TI805-5
- Horizon™ Circle (suspended 200mm) – test no. TI805-15
- Horizon™ Circle (suspended 400mm) – test no. TI805-16
- Horizon™ Circle (suspended 800mm) – test no. TI805-9

CONSTRUCTION





isometric view



COLOURS AVAILABLE



pavillion

